

	Hits	Search Text	DBs
1	255	firmware with active	USPAT; US-PGPUB
2	8	(firmware with active) and (713/1 or 713/2)	USPAT; US-PGPUB
3	1538	firmware with (updat\$3 or upgrad\$3)	USPAT; US-PGPUB
4	115	(firmware with (updat\$3 or upgrad\$3)) and (713/1 or 713/2)	USPAT; US-PGPUB
5	11	firmware with active	EPO; JPO
6	1	firmware with active	IBM_TDB
7	161	firmware with (updat\$3 or upgrad\$3)	EPO; JPO
8	10	firmware with (updat\$3 or upgrad\$3)	IBM_TDB
9	1	(firmware with (updat\$3 or upgrad\$3)) and active	EPO; JPO
10	0	(firmware with (updat\$3 or upgrad\$3)) and (second adj (firmware or space or area))	EPO; JPO
11	7	(firmware with (updat\$3 or upgrad\$3)) and copy\$3	EPO; JPO
12	3	(firmware with (updat\$3 or upgrad\$3)) and second	EPO; JPO
13	0	(firmware with (updat\$3 or upgrad\$3)) and back\$1up	EPO; JPO
14	17	firmware and back\$1up	EPO; JPO
15	75	firmware with back\$1up	USPAT; US-PGPUB
16	6	firmware with back\$1up with error	USPAT; US-PGPUB
17	1	firmware with back\$1up with \$2valid\$3	USPAT; US-PGPUB
18	1	(firmware with back\$1up) same (firmware with \$2valid\$3)	USPAT; US-PGPUB
19	6	(firmware with copy) same (firmware with \$2valid\$3)	USPAT; US-PGPUB
20	13	firmware with copy with error	USPAT; US-PGPUB
21	26	(firmware with copy) same error	USPAT; US-PGPUB
22	6	((boot adj code) with copy) same error	USPAT; US-PGPUB
23	44	((boot adj code) with copy)	USPAT; US-PGPUB
24	1	"5327531".PN.	USPAT

	Hits	Search Text	DBs
25	516442	(during adj2 operation)	USPAT; US-PGPUB
26	22	(during adj2 operation) with (firmware with (updat\$3 or upgrad\$3))	USPAT; US-PGPUB
27	128	switch\$3 with operation with (firmware)	USPAT; US-PGPUB
28	8	(firmware with updat\$5) same (switch\$3 with operation with (firmware))	USPAT; US-PGPUB
29	8	(firmware with updat\$5) same (chang\$3 with operation with (firmware))	USPAT; US-PGPUB
30	843	without adj (re\$1boot\$3 or re\$1start\$3)	USPAT; US-PGPUB
31	4	(firmware) with (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
32	4	(firmware) same (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
33	168	(firmware) and (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
34	791	(control\$4) and (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
35	52	(control\$4) with (without adj (re\$1boot\$3 or re\$1start\$3))	USPAT; US-PGPUB
36	466	de\$lactivat\$5 adj2 memory	USPAT; US-PGPUB
37	166	(de\$lactivat\$5 adj2 memory) same (activat\$5 adj2 memory)	USPAT; US-PGPUB
38	0	((de\$lactivat\$5 adj2 memory) same (activat\$5 adj2 memory)) same (without adj (re\$1start\$3 or re\$1boot\$3))	USPAT; US-PGPUB
39	0	((de\$lactivat\$5 adj2 memory) same (activat\$5 adj2 memory)) and (without adj (re\$1start\$3 or re\$1boot\$3))	USPAT; US-PGPUB
40	0	((de\$lactivat\$5 adj2 memory) same (activat\$5 adj2 memory)) same firmware	USPAT; US-PGPUB
41	21	((de\$lactivat\$5 adj2 memory) same (activat\$5 adj2 memory)) same (code or process)	USPAT; US-PGPUB
42	1429	switch\$3 with control with (second adj3 (firmware or space or memory))	USPAT; US-PGPUB
43	1534	transfer\$4 with control with (second adj3 (firmware or space or memory))	USPAT; US-PGPUB
44	507	((switch\$3 or transfer\$4) near control) with (second adj3 (firmware or space or memory))	USPAT; US-PGPUB

	Hits	Search Text	DBs
45	10	((switch\$3 or transfer\$4) near control) with (second adj3 (firmware or space or memory))) same updat\$3	USPAT; US-PGPUB
46	14	(firmware) same (without adj (re\$set\$4))	USPAT; US-PGPUB
47	79	((switch\$3 or transfer\$4) near control) with ((updat\$3 or new) adj3 (firmware or space or memory)))	USPAT; US-PGPUB
48	1	"4080651".PN.	USPAT
49	1	"5212693".PN.	USPAT
50	1	"RE34363".PN.	USPAT
51	1	"5430687".PN.	USPAT
52	1	"5606660".PN.	USPAT
53	1	"5844829".PN.	USPAT
54	1	"5859993".PN.	USPAT
55	1	"5870609".PN.	USPAT
56	1	"6009500".PN.	USPAT
57	1	"6253281".PN.	USPAT
58	17	(chang\$3 adj3 configuration) same (second adj2 memory)	USPAT; US-PGPUB
59	607	(chang\$3 adj3 configuration) same (activat\$5 or de\$lactivat\$5)	USPAT; US-PGPUB
60	115	(configuration) with (without adj (re\$lboot\$3 or re\$lstart\$3 or re\$lset\$5))	USPAT; US-PGPUB
61	6	(firmware) with (without adj (re\$lboot\$3 or re\$lstart\$3 or re\$lset\$5))	USPAT; US-PGPUB
62	27	((chang\$3 or switch\$3 or different) adj2 configuration) with (without adj (re\$lboot\$3 or re\$lstart\$3 or re\$lset\$5))	USPAT; US-PGPUB
63	2	on\$ldemand with (mode near2 chang\$3)	USPAT; US-PGPUB
64	272	dynamic with (mode near2 chang\$3)	USPAT; US-PGPUB
65	6	(dynamic with (mode near2 chang\$3)) with (parameter\$1 or firmware)	USPAT; US-PGPUB
66	10	(dynamic with (mode near2 chang\$3)) same (parameter\$1 or firmware)	USPAT; US-PGPUB

	Hits	Search Text	DBs
67	4	(dynamic with (mode near2 chang\$3)) and (firmware)	USPAT; US-PGPUB
68	10	(dynamic with (mode near2 chang\$3)) same (configur\$5)	USPAT; US-PGPUB
69	1956	((mode near2 chang\$3)) same (configur\$5)	USPAT; US-PGPUB
70	843	((mode near2 chang\$3)) with (configur\$5)	USPAT; US-PGPUB
71	14	((mode near2 chang\$3)) same (configur\$5) same firmware	USPAT; US-PGPUB
72	124	((mode near2 chang\$3)) with (configur\$5) with switch\$3	USPAT; US-PGPUB
73	40	((mode near2 chang\$3)) with ((configur\$5) near3 switch\$3)	USPAT; US-PGPUB
74	102	((mode near2 chang\$3)) same ((configur\$5) near3 switch\$3)	USPAT; US-PGPUB
75	24	((mode near2 chang\$3)) same ((configur\$5) near3 read\$3)	USPAT; US-PGPUB
76	35	((mode near2 chang\$3)) same ((configur\$5) near3 new)	USPAT; US-PGPUB
77	1	"5481709".PN.	USPAT
78	1	"5935228".PN.	USPAT
79	1	"6081890".PN.	USPAT
80	1	"6128731".PN.	USPAT
81	1	"6282596".PN.	USPAT
82	1	"6480952".PN.	USPAT
83	1	"5341494".PN.	USPAT
84	1	"5497497".PN.	USPAT
85	1	"5659748".PN.	USPAT
86	44	(bit adj mode) with (mode near2 chang\$3)	USPAT; US-PGPUB
87	9	((bit adj mode) with (mode near2 chang\$3)) same configur\$5	USPAT; US-PGPUB
88	6	((processor adj mode) with (mode near2 chang\$3)) same configur\$5	USPAT; US-PGPUB
89	2472	configur\$5 with (mode with chang\$3)	USPAT; US-PGPUB
90	15	configur\$5 with (mode with chang\$3) with firmware	USPAT; US-PGPUB
91	89	configur\$5 with (mode with chang\$3) with processor	USPAT; US-PGPUB

	Hits	Search Text	DBs
92	115	(configur\$5 with (updat\$3 or upgrad\$3)) same (mode with chang\$3)	USPAT; US-PGPUB